

References

- 1 Glauser, T. A. *et al.* Ethosuximide, valproic acid, and lamotrigine in childhood absence epilepsy: Initial monotherapy outcomes at 12 months. *Epilepsia* **54**, 141-155, doi:10.1111/epi.12028 (2013).
- 2 Caplan, R. A call to arms against “The Phantom of Epilepsy”. *Epilepsia* **56**, 1710-1711, doi:10.1111/epi.13197 (2015).
- 3 Tamura, N. My epilepsy story: What is it like to be absent?—A message from an “ex”-patient. *Epilepsia* **56**, 1707-1709, doi:10.1111/epi.13198 (2015).
- 4 Verrotti, A., Matricardi, S., Rinaldi, V. E., Prezioso, G. & Coppola, G. Neuropsychological impairment in childhood absence epilepsy: Review of the literature. *Journal of the Neurological Sciences* **359**, 59-66, doi:<http://dx.doi.org/10.1016/j.jns.2015.10.035> (2015).
- 5 Loiseau, P., Duche, B. & JM, P. Absence epilepsies. *Epilepsia* **36**, 5 (1995).
- 6 Caplan, R. *et al.* Childhood absence epilepsy: Behavioral, cognitive, and linguistic comorbidities. *Epilepsia* **49**, 1838-1846, doi:10.1111/j.1528-1167.2008.01680.x (2008).
- 7 Tenney, J. R. & Glauser, T. A. The Current State of Absence Epilepsy: Can We Have Your Attention? *Epilepsy Currents* **13**, 135-140, doi:10.5698/1535-7511-13.3.135 (2013).
- 8 Modi, A. C., Wu, Y. P., Rausch, J. R., Peugh, J. L. & Glauser, T. A. Antiepileptic drug nonadherence predicts pediatric epilepsy seizure outcomes. *Neurology* **83**, 2085-2090, doi:10.1212/wnl.0000000000001023 (2014).
- 9 Barañano, K. W. & Hartman, A. L. The Ketogenic Diet: Uses in Epilepsy and Other Neurologic Illnesses. *Current treatment options in neurology* **10**, 410-419 (2008).
- 10 McNally, M. A. & Hartman, A. L. Ketone Bodies in Epilepsy. *Journal of neurochemistry* **121**, 28-35, doi:10.1111/j.1471-4159.2012.07670.x (2012).
- 11 Masino, S. A., Kawamura Jr, M., Ruskin, D. N., Geiger, J. D. & Boison, D. Purines and neuronal excitability: Links to the ketogenic diet. *Epilepsy Research* **100**, 229-238, doi:<http://dx.doi.org/10.1016/j.epilepsyres.2011.07.014> (2012).
- 12 RM, W. The effect of ketonemia on the course of epilepsy. *Mayo Clin Bulletin* **2**, 2 (1921).
- 13 Reid, C. A., Kim, T. H., Berkovic, S. F. & Petrou, S. Low blood glucose precipitates spike-and-wave activity in genetically predisposed animals. *Epilepsia* **52**, 115-120, doi:10.1111/j.1528-1167.2010.02911.x (2011).
- 14 Stafstrom, C. E., Roopra, A. & Sutula, T. P. Seizure suppression via glycolysis inhibition with 2-deoxy-D-glucose (2DG). *Epilepsia* **49**, 97-100, doi:10.1111/j.1528-1167.2008.01848.x (2008).
- 15 Kristopher, J. B. & Carl, E. S. in *Epilepsy* 417-439 (CRC Press, 2010).
- 16 Arbeláez, A. M. *et al.* Thalamic Activation During Slightly Subphysiological Glycemia in Humans. *Diabetes Care*, doi:10.2337/dc12-0297 (2012).
- 17 Arbeláez, A. M. *et al.* Comparison of Regional Cerebral Blood Flow Responses to Hypoglycemia Using Pulsed Arterial Spin Labeling and Positron Emission Tomography. *PLoS ONE* **8**, e60085, doi:10.1371/journal.pone.0060085 (2013).
- 18 Arbelaez, A. M., Powers, W. J., Videen, T. O., Price, J. L. & Cryer, P. E. Attenuation of Counterregulatory Responses to Recurrent Hypoglycemia by Active Thalamic Inhibition: A Mechanism for Hypoglycemia-Associated Autonomic Failure. *Diabetes* **57**, 470-475, doi:10.2337/db07-1329 (2008).
- 19 Beenhakker, M. P. & Huguenard, J. R. Neurons that Fire Together Also Conspire Together: Is Normal Sleep Circuitry Hijacked to Generate Epilepsy? *Neuron* **62**, 612-632, doi:<http://dx.doi.org/10.1016/j.neuron.2009.05.015> (2009).
- 20 McCormick, D. A. & Bal, T. Sleep and Arousal: Thalamocortical Mechanisms. *Annual Review of Neuroscience* **20**, 185-215, doi:10.1146/annurev.neuro.20.1.185 (1997).
- 21 McCormick, D. A. & Huguenard, J. R. A model of the electrophysiological properties of thalamocortical relay neurons. *Journal of Neurophysiology* **68**, 1384-1400 (1992).
- 22 Rho, J. M. Substantia(ing) Ketone Body Effects on Neuronal Excitability. *Epilepsy Currents* **7**, 142-144, doi:10.1111/j.1535-7511.2007.00206.x (2007).
- 23 Rho, J. M. How does the ketogenic diet induce anti-seizure effects? *Neuroscience Letters*, doi:<http://dx.doi.org/10.1016/j.neulet.2015.07.034>.
- 24 Paz, J. T. & Huguenard, J. R. Microcircuits and their interactions in epilepsy: is the focus out of focus? *Nat Neurosci* **18**, 351-359, doi:10.1038/nn.3950 (2015).
- 25 McCormick, D. A. & Contreras, D. On The Cellular and Network Bases of Epileptic Seizures. *Annual Review of Physiology* **63**, 815-846, doi:doi:10.1146/annurev.physiol.63.1.815 (2001).
- 26 Staley, K. Molecular mechanisms of epilepsy. *Nat Neurosci* **18**, 367-372, doi:10.1038/nn.3947 (2015).

- 27 Jirsa, V. K., Stacey, W. C., Quilichini, P. P., Ivanov, A. I. & Bernard, C. On the nature of seizure dynamics. *Brain* **137**, 2210-2230, doi:10.1093/brain/awu133 (2014).
- 28 Olsson, I. Epidemiology of Absence Epilepsy. *Acta Paediatrica Scandinavia* **77**, 7 (1988).
- 29 De Vivo, D. C. *et al.* Defective Glucose Transport across the Blood-Brain Barrier as a Cause of Persistent Hypoglycorrhachia, Seizures, and Developmental Delay. *New England Journal of Medicine* **325**, 703-709, doi:10.1056/NEJM199109053251006 (1991).
- 30 Chen, L.-Q., Cheung, L. S., Feng, L., Tanner, W. & Frommer, W. B. Transport of Sugars. *Annual Review of Biochemistry* **84**, 865-894, doi:10.1146/annurev-biochem-060614-033904 (2015).
- 31 Devraj, K. *et al.* GLUT-1 Glucose Transporters in the Blood-Brain Barrier: Differential Phosphorylation. *Journal of Neuroscience Research* **89**, 10.1002/jnr.22738, doi:10.1002/jnr.22738 (2011).
- 32 Leary, Linda D., Wang, D., Nordli, Douglas R., Engelstad, K. & De Vivo, Darryl C. Seizure Characterization and Electroencephalographic Features in Glut-1 Deficiency Syndrome. *Epilepsia* **44**, 701-707, doi:10.1046/j.1528-1157.2003.05302.x (2003).
- 33 Pascual, J. M., van Heertum, R. L., Wang, D., Engelstad, K. & De Vivo, D. C. Imaging the metabolic footprint of Glut1 deficiency on the brain. *Annals of Neurology* **52**, 458-464, doi:10.1002/ana.10311 (2002).
- 34 Avoli, M. A brief history on the oscillating roles of thalamus and cortex in absence seizures. *Epilepsia* **53**, 779-789, doi:10.1111/j.1528-1167.2012.03421.x (2012).
- 35 J, B. Uber das Elektrenkephalogramm des Menschen. Sebente Mitteilung. *Arch Psychiatr Nervenkr* **100**, 19 (1933).
- 36 Gibbs, F., Davis, H. & Lennox, W. The electroencephalogram in epilepsy and in conditions of impaired consciousness. *Arch Neurol Psychiatry Clin. Neurosci.* **34**, 13 (1935).
- 37 Arsov, T. *et al.* Early onset absence epilepsy: 1 in 10 cases is caused by GLUT1 deficiency. *Epilepsia* **53**, e204-e207, doi:10.1111/epi.12007 (2012).
- 38 Suls, A. *et al.* Early-onset absence epilepsy caused by mutations in the glucose transporter GLUT1. *Annals of Neurology* **66**, 415-419, doi:10.1002/ana.21724 (2009).
- 39 Crunelli, V. & Leresche, N. Childhood absence epilepsy: Genes, channels, neurons and networks. *Nat Rev Neurosci* **3**, 371-382 (2002).
- 40 Fuentealba, P. & Steriade, M. The reticular nucleus revisited: Intrinsic and network properties of a thalamic pacemaker. *Progress in Neurobiology* **75**, 125-141, doi:<http://dx.doi.org/10.1016/j.pneurobio.2005.01.002> (2005).
- 41 Jones, E. G. *The Thalamus*. Vol. 1 (Cambridge University Press, 2007).
- 42 Steriade, M. Sleep, epilepsy and thalamic reticular inhibitory neurons. *Trends in neurosciences* **28**, 317-324, doi:<http://dx.doi.org/10.1016/j.tins.2005.03.007> (2005).
- 43 Jasper, H. H. & Droogleever-Fortuyn, J. Experimental studies of the functional anatomy of petit mal epilepsy. *Res. Publ. Assoc. Res. Nerve Ment. Dis.* **26**, 272-298 (1947).
- 44 Wang, G. *et al.* CaV3.2 calcium channels control NMDA receptor-mediated transmission: a new mechanism for absence epilepsy. *Genes & Development* **29**, 1535-1551, doi:10.1101/gad.260869.115 (2015).
- 45 Glascock, J. J. *et al.* Delivery of Therapeutic Agents Through Intracerebroventricular (ICV) and Intravenous (IV) Injection in Mice. *Journal of Visualized Experiments : JoVE*, 2968, doi:10.3791/2968 (2011).
- 46 Gunaydin, Lisa A. *et al.* Natural Neural Projection Dynamics Underlying Social Behavior. *Cell* **157**, 1535-1551, doi:<http://dx.doi.org/10.1016/j.cell.2014.05.017> (2014).
- 47 Cahill, G. F. J. Fuel Metabolism in Starvation. *Annual Review of Nutrition* **26**, 1-22, doi:10.1146/annurev.nutr.26.061505.111258 (2006).
- 48 Ruderman, N. A., Aoki, T.T. & Cahill, G. F. J. in *Gluconeogenesis: its regulation in mammalian species* (eds M Mehلمان & R Hanson) 515-530 (1976).
- 49 Yudkoff, M., Daikhin, Y., Horyn, O., Nissim, I. & Nissim, I. Vol. 4 *Advances in Neurobiology* (eds In-Young Choi & Rolf Gruetter) 819-839 (Springer US, 2012).
- 50 Ashford, M. L., Boden, P. R. & Treherne, J. M. Glucose-induced excitation of hypothalamic neurones is mediated by ATP-sensitive K⁺ channels. *Pflugers Archiv : European journal of physiology* **415**, 479-483 (1990).
- 51 Burdakov, D., Gerasimenko, O. & Verkhatsky, A. Physiological Changes in Glucose Differentially Modulate the Excitability of Hypothalamic Melanin-Concentrating Hormone and Orexin Neurons In Situ. *The Journal of Neuroscience* **25**, 2429-2433, doi:10.1523/jneurosci.4925-04.2005 (2005).

- 52 Kong, D. *et al.* Glucose Stimulation of Hypothalamic MCH Neurons Involves KATP Channels, Is Modulated by UCP2, and Regulates Peripheral Glucose Homeostasis. *Cell Metabolism* **12**, 545-552, doi:<http://dx.doi.org/10.1016/j.cmet.2010.09.013> (2010).
- 53 Song, Z., Levin, B. E., McArdle, J. J., Bakhos, N. & Routh, V. H. Convergence of Pre- and Postsynaptic Influences on Glucosensing Neurons in the Ventromedial Hypothalamic Nucleus. *Diabetes* **50**, 2673-2681, doi:10.2337/diabetes.50.12.2673 (2001).
- 54 Giménez-Cassina, A. *et al.* BAD-Dependent Regulation of Fuel Metabolism and KATP Channel Activity Confers Resistance to Epileptic Seizures. *Neuron* **74**, 719-730, doi:<http://dx.doi.org/10.1016/j.neuron.2012.03.032> (2012).
- 55 Juge, N. *et al.* Metabolic Control of Vesicular Glutamate Transport and Release. *Neuron* **68**, 99-112, doi:<http://dx.doi.org/10.1016/j.neuron.2010.09.002> (2010).
- 56 Ma, W., Berg, J. & Yellen, G. Ketogenic Diet Metabolites Reduce Firing in Central Neurons by Opening KATP Channels. *The Journal of Neuroscience* **27**, 3618-3625, doi:10.1523/jneurosci.0132-07.2007 (2007).
- 57 Tanner, G. R., Lutas, A., Martínez-François, J. R. & Yellen, G. Single KATP Channel Opening in Response to Action Potential Firing in Mouse Dentate Granule Neurons. *The Journal of Neuroscience* **31**, 8689-8696, doi:10.1523/jneurosci.5951-10.2011 (2011).
- 58 Yellen, G. Ketone bodies, glycolysis, and K(ATP) channels in the mechanism of the ketogenic diet. *Epilepsia* **49**, 80-82, doi:10.1111/j.1528-1167.2008.01843.x (2008).
- 59 McCormick, D. A. & Prince, D. A. Acetylcholine induces burst firing in thalamic reticular neurones by activating a potassium conductance. *Nature* **319**, 402-405 (1986).
- 60 McCormick, D. A. & Prince, D. A. Noradrenergic modulation of firing pattern in guinea pig and cat thalamic neurons, in vitro. *Journal of Neurophysiology* **59**, 978-996 (1988).
- 61 Frankel, W. N. Genetics of complex neurological disease: challenges and opportunities for modeling epilepsy in mice and rats. *Trends in Genetics* **25**, 361-367, doi:<http://dx.doi.org/10.1016/j.tig.2009.07.001> (2009).
- 62 Letts, V. A., Beyer, B. J. & Frankel, W. N. Hidden in plain sight: spike-wave discharges in mouse inbred strains. *Genes, Brain and Behavior* **13**, 519-526, doi:10.1111/gbb.12142 (2014).
- 63 Meeren, H. K. M., Pijn, J. P. M., Van Luijckelaar, E. L. J. M., Coenen, A. M. L. & Lopes da Silva, F. H. Cortical Focus Drives Widespread Corticothalamic Networks during Spontaneous Absence Seizures in Rats. *The Journal of Neuroscience* **22**, 1480-1495 (2002).
- 64 van Luijckelaar, G. *et al.* Methods of automated absence seizure detection, interference by stimulation, and possibilities for prediction in genetic absence models. *Journal of Neuroscience Methods*, doi:<http://dx.doi.org/10.1016/j.jneumeth.2015.07.010>.
- 65 Danober, L., Deransart, C., Depaulis, A., Vergnes, M. & Marescaux, C. Pathophysiological mechanisms of genetic absence epilepsy in the rat. *Prog. Neurobiol.* **55**, 27-57 (1998).
- 66 van Luijckelaar, E. L. & Coenen, A. M. Two types of electrocortical paroxysms in an inbred strain of rats. *Neurosci Lett.* **70**, 5 (1986).
- 67 Laffel, L. Ketone bodies: a review of physiology, pathophysiology and application of monitoring to diabetes. *Diabetes/Metabolism Research and Reviews* **15**, 412-426, doi:10.1002/(SICI)1520-7560(199911/12)15:6<412::AID-DMRR72>3.0.CO;2-8 (1999).
- 68 Chang, P. *et al.* Seizure control by decanoic acid through direct AMPA receptor inhibition. *Brain*, doi:10.1093/brain/awv325 (2015).
- 69 Gozzi, A. & Schwarz, A. J. Large-scale functional connectivity networks in the rodent brain. *NeuroImage*, doi:<http://dx.doi.org/10.1016/j.neuroimage.2015.12.017>.
- 70 Jonckers, E., Shah, D., Hamaide, J., Verhoye, M. & Van Der Linden, A. Imaging tools to study pharmacology: functional MRI on small rodents. *Frontiers in Pharmacology* **6**, doi:10.3389/fphar.2015.00231 (2015).
- 71 Jonckers, E., Van der Linden, A. & Verhoye, M. Functional magnetic resonance imaging in rodents: an unique tool to study in vivo pharmacologic neuromodulation. *Current Opinion in Pharmacology* **13**, 813-820, doi:<http://dx.doi.org/10.1016/j.coph.2013.06.008> (2013).
- 72 Huguenard, J. R. & McCormick, D. A. Thalamic synchrony and dynamic regulation of global forebrain oscillations. *Trends in neurosciences* **30**, 350-356, doi:<http://dx.doi.org/10.1016/j.tins.2007.05.007> (2007).
- 73 Kim, D. *et al.* Lack of the Burst Firing of Thalamocortical Relay Neurons and Resistance to Absence Seizures in Mice Lacking $\alpha 1G$ T-Type Ca^{2+} Channels. *Neuron* **31**, 35-45, doi:[http://dx.doi.org/10.1016/S0896-6273\(01\)00343-9](http://dx.doi.org/10.1016/S0896-6273(01)00343-9) (2001).

- 74 Talley, E. M. *et al.* Differential Distribution of Three Members of a Gene Family Encoding Low Voltage-Activated (T-Type) Calcium Channels. *The Journal of Neuroscience* **19**, 1895-1911 (1999).
- 75 Talley, E. M., Solorzano, G., Depaulis, A., Perez-Reyes, E. & Bayliss, D. A. Low-voltage-activated calcium channel subunit expression in a genetic model of absence epilepsy in the rat. *Brain Res. Mol. Brain Res.* **75**, 159-165 (2000).
- 76 Liu, X.-B., Murray, K. D. & Jones, E. G. Low-threshold calcium channel subunit Cav3.3 is specifically localized in GABAergic neurons of rodent thalamus and cerebral cortex. *The Journal of Comparative Neurology* **519**, 1181-1195, doi:10.1002/cne.22567 (2011).
- 77 Jahnsen, H. & Llinás, R. Ionic basis for the electro-responsiveness and oscillatory properties of guinea-pig thalamic neurones in vitro. *The Journal of Physiology* **349**, 227-247, doi:10.1113/jphysiol.1984.sp015154 (1984).
- 78 Jahnsen, H. & Llinás, R. Electrophysiological properties of guinea-pig thalamic neurones: an in vitro study. *The Journal of Physiology* **349**, 205-226, doi:10.1113/jphysiol.1984.sp015153 (1984).
- 79 Llinás, R., Jahnsen H. Electrophysiology of mammalian thalamic neurones in vitro. *Nature* **297**, 406-408 (1982).
- 80 Ruskin, D. N. & Masino, S. A. The nervous system and metabolic dysregulation: emerging evidence converges on ketogenic diet therapy. *Frontiers in Neuroscience* **6**, doi:10.3389/fnins.2012.00033 (2012).
- 81 Jiang, K., Yu, Z. & Shui, Q. The pattern of ATP-sensitive K⁺ channel subunits, Kir6.2 and SUR1 mRNA expressions in DG region is different from those in CA1-3 regions of chronic epilepsy induced by picrotoxin in rats. *Neuropathology* **27**, 531-538, doi:10.1111/j.1440-1789.2007.00823.x (2007).
- 82 Zawar, C., Plant, T. D., Schirra, C., Konnerth, A. & Neumcke, B. Cell-type specific expression of ATP-sensitive potassium channels in the rat hippocampus. *The Journal of Physiology* **514**, 327-341, doi:10.1111/j.1469-7793.1999.315ae.x (1999).
- 83 Magnoni, S. *et al.* Relationship between systemic glucose and cerebral glucose is preserved in patients with severe traumatic brain injury, but glucose delivery to the brain may become limited when oxidative metabolism is impaired: Implications for glycemic control. *Critical Care Medicine* **40**, 7 (2012).
- 84 Nigrovic, L. E., Kimia, A. A., Shah, S. S. & Neuman, M. I. Relationship between Cerebrospinal Fluid Glucose and Serum Glucose. *New England Journal of Medicine* **366**, 576-578, doi:doi:10.1056/NEJMc1111080 (2012).
- 85 Dunn-Meynell, A. A. *et al.* Relationship among Brain and Blood Glucose Levels and Spontaneous and Glucoprivic Feeding. *The Journal of Neuroscience* **29**, 7015-7022, doi:10.1523/jneurosci.0334-09.2009 (2009).
- 86 Castro-Alamancos, M. A. Neocortical Synchronized Oscillations Induced by Thalamic Disinhibition In Vivo. *The Journal of Neuroscience* **19**, RC27 (1999).
- 87 Chefer, V. I., Thompson, A. C., Zapata, A. & Shippenberg, T. S. Overview of Brain Microdialysis. *Current protocols in neuroscience / editorial board, Jacqueline N. Crawley ... [et al.]* Chapter 7, doi:10.1002/0471142301.ns0701s47 (2009).
- 88 Fellows, L. K., Boutelle, M. G. & Fillenz, M. Extracellular Brain Glucose Levels Reflect Local Neuronal Activity: A Microdialysis Study in Awake, Freely Moving Rats. *Journal of Neurochemistry* **59**, 2141-2147, doi:10.1111/j.1471-4159.1992.tb10105.x (1992).
- 89 van der Kuil, J. H. F. & Korf, J. One-Line Monitoring of Extracellular Brain Glucose Using Microdialysis and a NADPH-Linked Enzymatic Assay. *Journal of Neurochemistry* **57**, 648-654, doi:10.1111/j.1471-4159.1991.tb03796.x (1991).
- 90 Fellows, L. K. & Boutelle, M. G. Rapid changes in extracellular glucose levels and blood flow in the striatum of the freely moving rat. *Brain Research* **604**, 225-231, doi:[http://dx.doi.org/10.1016/0006-8993\(93\)90373-U](http://dx.doi.org/10.1016/0006-8993(93)90373-U) (1993).
- 91 Slusser, P. G. & Ritter, R. C. Increased feeding and hyperglycemia elicited by intracerebroventricular 5-thioglucose. *Brain Research* **202**, 474-478, doi:[http://dx.doi.org/10.1016/0006-8993\(80\)90158-4](http://dx.doi.org/10.1016/0006-8993(80)90158-4) (1980).
- 92 Arbelaez, A. M., Powers, W. J., Videen, T. O., Price, J. L. & Cryer, P. E. Attenuation of counterregulatory responses to recurrent hypoglycemia by active thalamic inhibition: a mechanism for hypoglycemia-associated autonomic failure. *Diabetes* **57**, 470-475, doi:10.2337/db07-1329 (2008).
- 93 Arbelaez, A. M. *et al.* Thalamic activation during slightly subphysiological glycemia in humans. *Diabetes Care* **35**, 2570-2574, doi:10.2337/dc12-0297 (2012).
- 94 McCormick, D. A. & Pape, H. C. Properties of a hyperpolarization-activated cation current and its role in rhythmic oscillation in thalamic relay neurones. *The Journal of Physiology* **431**, 291-318, doi:10.1113/jphysiol.1990.sp018331 (1990).

- 95 Lüthi, A., Bal, T. & McCormick, D. A. Periodicity of Thalamic Spindle Waves Is Abolished by ZD7288, a Blocker of I_h. *Journal of Neurophysiology* **79**, 3284-3289 (1998).
- 96 Huntsman, M. M., Porcello, D. M., Homanics, G. E., DeLorey, T. M. & Huguenard, J. R. Reciprocal Inhibitory Connections and Network Synchrony in the Mammalian Thalamus. *Science* **283**, 541-543, doi:10.1126/science.283.5401.541 (1999).
- 97 Jacobsen, R. B., Ulrich, D. & Huguenard, J. R. GABAB and NMDA Receptors Contribute to Spindle-Like Oscillations in Rat Thalamus In Vitro. *Journal of Neurophysiology* **86**, 1365-1375 (2001).
- 98 Sohal, V. S., Keist, R., Rudolph, U. & Huguenard, J. R. Dynamic GABAA Receptor Subtype-Specific Modulation of the Synchrony and Duration of Thalamic Oscillations. *The Journal of Neuroscience* **23**, 3649-3657 (2003).
- 99 Bryant, A. S., Li, B., Beenhakker, M. P. & Huguenard, J. R. Maintenance of Thalamic Epileptiform Activity Depends on the Astrocytic Glutamate-Glutamine Cycle. *Journal of Neurophysiology* **102**, 2880-2888, doi:10.1152/jn.00476.2009 (2009).
- 100 Kleiman-Weiner, M., Beenhakker, M. P., Segal, W. A. & Huguenard, J. R. Synergistic Roles of GABAA Receptors and SK Channels in Regulating Thalamocortical Oscillations. *Journal of Neurophysiology* **102**, 203-213, doi:10.1152/jn.91158.2008 (2009).
- 101 Russo, E. *et al.* Enhancement of anti-absence effects of ethosuximide by low doses of a noncompetitive α -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid (AMPA) receptor antagonist in a genetic animal model of absence epilepsy. *Epilepsy & Behavior* **13**, 295-299, doi:<http://dx.doi.org/10.1016/j.yebeh.2008.04.018> (2008).
- 102 Ting, J. T., Daigle, T. L., Chen, Q. & Feng, G. Acute brain slice methods for adult and aging animals: application of targeted patch clamp analysis and optogenetics. *Methods in molecular biology (Clifton, N.J.)* **1183**, 221-242, doi:10.1007/978-1-4939-1096-0_14 (2014).